


2010

PRODUCTS DATA SHEET



Rosi

PRODUCTS DATA SHEET

Product specification

Product P/N	332R3GMTELCB
Device Standard	EN 60309 IEC 309
Protection Degree	IP67 - Watertight
Device	INTERLOCKED SOCKET
Amperage	32A
Voltage	380 - 440 V AC
Poles and Wires	3 poles 4 Wires
Color	Gray
Material Housing	TAROLON - PC
Material Locking Ring	TAROLON - PC
Material Contact Support	TAROMID - PA 66 - Heat resistant
Material Terminal Support	TAROMID - PA 6
Material Ground/Phase contacts	Nickel Plated brass
Material Terminal Screws	Nickel Plated brass
Material Assembly Screws	TAROMID - PA66

Technical ratings

Switch:

Thermal current AC21A	63 A
Inductive load AC23A at 400V	22 kW
Isolation voltage	690 V

MTE:

Nominal current	40 A
Residual current	30 mA
Monitored Poles	4 poles


LCB:

Nominal current	32 A
Tripping Characteristics	C
Nominal voltage	440 V
Breaking capacity	6 kA


Socket / enclosures:

Temperature rise	less than 50K at rated current
Impact resistance	according EN 60309 IEC 309
Product identification	identification and ratings are permanently labeled on the device housing
Moisture resistance and ingress protection	according to EN 60529 IEC529 IP67:
Flammability	HB or better according to UL 94
Operating temperatures	-25 to + 40 °C
Storing temperatures	-40 to + 80 °C

PRODUCTS DATA SHEET



PRODUCTS DATA SHEET



PRODUCTS DATA SHEET



di (Pia) Romano, S. (Pia) Romano
Via (Pia) Romano, 1
00198 (C) (Pia) Romano (Pia) Romano (Pia) Romano
Tel. (Pia) Romano (Pia) Romano - Fax (Pia) Romano (Pia) Romano
E-mail: (Pia) Romano (Pia) Romano - Web: (Pia) Romano (Pia) Romano
Rosa (Pia) Romano (Pia) Romano (Pia) Romano (Pia) Romano (Pia) Romano
Rosa (Pia) Romano (Pia) Romano (Pia) Romano (Pia) Romano (Pia) Romano

DICHIARAZIONE DI CONFORMITA' DECLARATION OF CONFORMITY



Ddc N° 90028

ROSI Snc Dichiaro che / **ROSI Snc** Declare that:

Articolo tipo / Article type:

Presse fissa da parete interbloccata orizzontale 32A 3P+T 3/h 380-440 ~ 50/60 Hz IP67 serie 15
Panel interlocked sockets 32A 3P+E 3/h 380-440 V~ 50/60 Hz IP 67 serie 15

Codice Rosi / Rosi code:

332R3GMTELCB

Composto da / Composed by

Ddt N° / Transport document N°

Data / Date

--	--

E' conforme alle norme standard / Complies with standard

IEC 309-1 CEI EN 60309 -1

IEC 309-2 CEI EN 60309 -2

IEC 529 CEI EN 60529

E quindi risponde ai requisiti essenziali delle Direttive Europee

And then meet the essential requirements of European Directives.

2006/95/CE

Data / Date	R.Tecnico / Technical Responsible
09/06/09	Rosi Romano